



शुद्धिपत्र/ Corrigendum

Date: 21.08.2018

Please refer to Bank's Tender Ref. No.2019/1373/NDO/PREMISES dated **August 10, 2018** "Modular and other Furniture including Supply and Installation in SIDBI Office at Atmaram House, 1 Tolstoy Marg, New Delhi".

The following changes have been made in the Tender through this Corrigendum.

Sr. no	Reference	As per tender	Changes made
1	Page No.1 – Item No.1 - <b>Financial Bid</b>  AND  Page No.20 – Section 4, Sl. No. 1 – <b>Technical Bid</b>	Providing, Supplying & Fixing 50 mm Tile based partition of height 1200 mm have 35-40 mm clear space between two tiles for wire management facilities. The basic framework is made up in combination of aluminium & CRCA Steel with thickness of 1.2mm. Vertical & Horizontal rail is made up of 1.2 mm thick aluminium extrusions. Cover Section (Raceways) is made up of 0.8 mm thick CRCA steel. The Worktop is made of 25 mm thick Prelaminated MDF board [Interior Grade] of approved shade and make. All exposed/unexposed edges shall be finished with hot melt PVC edge banding of 1.2-2 mm Thickness. Tile based skin consisting of 3.5 mm thick MDF board for Fabric Finish & 9 mm Prelam Particle Board for Prelam Tile Finish.  All steel & aluminium parts shall be pretreated for seven stage	Providing, Supplying & Fixing 50 mm Tile based partition of height 1200 mm have 35-40 mm clear space between two tiles for wire management facilities. The basic framework is made up in combination of aluminium & CRCA Steel with thickness of 1.2mm. Vertical & Horizontal rail is made up of 1.2 mm thick aluminium extrusions. Cover Section (Raceways) is made up of 0.8 mm thick CRCA steel. The Worktop is made of 25 mm thick Prelaminated MDF board [Interior Grade] of approved shade and make. All exposed/unexposed edges shall be finished with hot melt PVC edge banding of 1.2-2 mm Thickness. Tile based skin consisting of 3.5 mm thick MDF board for Fabric Finish & 9 mm Prelam Particle Board for Prelam Tile Finish.  All steel & aluminium parts shall be pretreated for seven stage anti-

		<p>anti-corrosion treatment followed by epoxy powder coating. The thickness of the powder coating for all the steel and aluminum parts shall be min 45 microns. Tile Configuration shall be Lower Module Laminate (PreLam) and Upper Module : One nos. Magnetic/Soft Pinup &amp; Marker shall be provided for each user. Raceways shall be provided at Two Levels-At Skirting Level , at Above/Below Worktop Level.</p>	<p>corrosion treatment followed by epoxy powder coating. The thickness of the powder coating for all the steel and aluminum parts shall be min 50-60 microns. Tile Configuration shall be Lower Module Laminate (PreLam) and Upper Module : One nos. Magnetic/Soft Pinup &amp; Marker shall be provided for each user. Raceways shall be provided at Two Levels-At Skirting Level ,at Above/Below Worktop Level.</p>
2	<p>Page No.7 – Section 2, Sl. No. 10 - <b>Technical Bid</b></p>	<p>To become eligible for issue of bid, the bidders shall have to furnish an affidavit as under : "I/We undertake and confirm that eligible similar work [s] has/ have not been got executed through another contractor on back to back basis. Further that, if such a violation comes to notice of the department, then I/We shall be debarred for bidding in CPWD. contracts in future forever. Also, if such a violation comes to the notice of the department before date of start of work, the Engineer in charge shall be free to forfeit the entire amount of the earnest money deposit/ performance guarantee."</p>	<p>To become eligible for issue of bid, the bidders shall have to furnish an affidavit as under : "I/We undertake and confirm that eligible similar work [s] has/ have not been got executed through another contractor on back to back basis. Further that, if such a violation comes to notice of the department, then I/We shall be debarred for bidding in SIDBI. contracts in future forever. Also, if such a violation comes to the notice of the department before date of start of work, the Engineer in charge shall be free to forfeit the entire amount of the earnest money deposit/ performance guarantee."</p>

All other terms and conditions shall remain same as mentioned in our Tender Ref. No. 2019/1373/NDO/PREMISES dated August 10, 2018.

Kindly keep on checking our website [www.sidbi.in](http://www.sidbi.in) regularly to get latest updates regarding this tender notice.

Bank reserves the right to change the dates, timings mentioned above or elsewhere mentioned in the RFP, which will be communicated by placing the same as corrigendum under Tender section on Bank's web-site.